

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 16/709 509

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Tuesday
Date: 7/31/2007

Time: 11:04:38

PALM INTRANET

Inventor Information for 10/708509

Inventor Name	City	State/Country
SPARKS, DOUGLAS R.	WHITEMORE LAKE	MICHIGAN
NAJAFI, NADER	ANN ARBOR	MICHIGAN

Appln Info

Contents

Petition Info

Atty/Agent Info

Continuity/Reexam

Foreign E

Search Another: Application #

Search

or Patent#

Search

PCT /

Search

or PG PUBS #

Search

Attorney Docket #

Search

Bar Code #

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

JS 20070157739 A1	US- PGPUB	20070712	10	MICROFLUIDIC DEVICE AND METHOD OF OPERATION	73/861.352	137/2	Sparks; Douglas Ray et al.
JS 20070151335 A1	US- PGPUB	20070705		MICROFLUIDIC DEVICE	73/204.26	73/202	Sparks; Douglas Ray et al.
JS 20070032734 A1	US- PGPUB	20070208		METHOD FOR MONITORING A PHYSIOLOGIC PARAMETER OF PATIENTS WITH CONGESTIVE HEART FAILURE	600/513		Najafi; Nader et al.
JS 20060213552 A1	US- PGPUB	20060928		FLUID SYSTEM AND METHOD OF ASSESSING A PROPERTY OF A FLUID FLOWING THEREIN	137/2	123/445; 180/338; 184/6.21; 303/1; 60/276	Sparks; Douglas Ray et al.
JS 20060211981 A1	US- PGPUB	20060921		MEDICAL TREATMENT PROCEDURE AND SYSTEM IN WHICH BIDIRECTIONAL FLUID FLOW IS SENSED	604/44	604/29; 604/6.09	Sparks; Douglas Ray et al.
JS 20060175303 A1	US- PGPUB	20060810		PROCESS OF MAKING A MICROTUBE AND MICROFLUIDIC DEVICES FORMED THEREWITH	219/121.43		Sparks; Douglas Ray et al.
JS 20060169038 A1	US- PGPUB	20060803		FLUID SENSING DEVICE WITH INTEGRATED BYPASS AND PROCESS THEREFOR	73/202		Sparks; Douglas Ray et al.
JS 20060047205 A1	US- PGPUB	20060302		DELIVERY METHOD AND SYSTEM FOR MONITORING CARDIOVASCULAR PRESSURES	600/486		Ludomirsky; Achiau et al.
JS	US-	20060223		PROCESS OF	29/592.1	73/204.26;	Sparks;

20060037187 A1	PGPUB		MAKING A MICROTUBE AND MICROFLUIDIC DEVICES FORMED THEREWITH		73/861.351	Douglas Ray et al.
JS 20060010964 A1	US- PGPUB	20060119	Device and method for sensing rheological properties of a fluid	73/54.01		Sparks; Douglas Ray et al.
JS 20050284815 A1	US- PGPUB	20051229	MEDICAL TREATMENT SYSTEM AND METHOD	210/645	210/646; 210/742; 604/4.01; 604/65	Sparks, Douglas Ray et al.
JS 20050235759 A1	US- PGPUB	20051027	DRUG-SPECIFIC FLUID DELIVERY SYSTEM	73/861.352		Sparks, Douglas Ray et al.
JS 20050126304 A1	US- PGPUB	20050616	FLUID INFUSION METHOD AND SYSTEM THEREFOR	73/861.05		Sparks, Douglas Ray et al.
JS 20050065589 A1	US- PGPUB	20050324	Method and anchor for medical implant placement, and method of anchor manufacture	607/126		Schneider, Richard Lee et al.
JS 20040255648 A1	US- PGPUB	20041223	RESONANT TUBE VISCOSITY SENSING DEVICE	73/54.41		Sparks, Douglas Ray
JS 20040171983 A1	US- PGPUB	20040902	FLUID DELIVERY SYSTEM AND SENSING UNIT THEREFOR	604/65	128/DIG.13	Sparks, Douglas R. et al.
JS 20030159741 A1	US- PGPUB	20030828	FLUID DELIVERY SYSTEM AND METHOD	137/814	604/67	Sparks, Douglas Ray
JS 20030138656 A1	US- PGPUB	20030724	Method of forming a reactive material and article formed thereby	428/615	428/687	Sparks, Douglas Ray
JS 20030121313 A1	US- PGPUB	20030703	Micromachined fluid analysis device and method	73/38		Sparks, Douglas Ray
JS 20030061889 A1	US- PGPUB	20030403	Micromachined fluidic apparatus	73/861.355	29/557; 29/890.14	Tadigadapa, Srinivas et al.
JS 20020194908 A1	US- PGPUB	20021226	Integrated microtube sensing device	73/204.26		Sparks, Douglas Ray

JS 20020193818 A1	US- PGPUB	20021219		Process of forming a microneedle and microneedle formed thereby	606/185		Sparks, Douglas Ray
JS 20020185557 A1	US- PGPUB	20021212		Micromachined lysing device and method for performing cell lysis	241/1	241/2; 241/301	Sparks, Douglas Ray
JS 20020151816 A1	US- PGPUB	20021017		Wireless MEMS capacitive sensor for physiologic parameter measurement	600/547		Rich, Collin A. et al.
JS 20020115920 A1	US- PGPUB	20020822		MEMS capacitive sensor for physiologic parameter measurement	600/345	600/485; 600/549	Rich, Collin A. et al.
JS 7228735 32	USPAT	20070612		Fluid sensing device with integrated bypass and process therefor	73/204.26		Sparks; Douglas Ray et al.
JS 7211048 31	USPAT	20070501		System for monitoring conduit obstruction	600/508	600/481; 600/483; 600/485; 600/486; 607/126; 607/60	Najafi; Nader et al.
JS 7059176 32	USPAT	20060613		Resonant tube viscosity sensing device	73/54.41	73/54.01; 73/54.02	Sparks; Douglas Ray
JS 6968743 32	USPAT	20051129		Implantable sensing device for physiologic parameter measurement	73/724		Rich; Collin A. et al.
JS 6942169 32	USPAT	20050913		Micromachined lysing device and method for performing cell lysis	241/1	241/2; 241/301; 435/259; 435/820	Sparks; Douglas Ray
JS 6935010 32	USPAT	20050830		Method of fabricating a micromachined tube for fluid flow	29/592.1		Tadigadapa; Srinivas et al.
JS 6932114 32	USPAT	20050823		Fluid delivery system and method	137/814	604/67	Sparks; Douglas Ray
JS 6926670 32	USPAT	20050809		Wireless MEMS capacitive sensor for physiologic parameter measurement	600/459		Rich; Collin A. et al.
JS 6923625	USPAT	20050802		Method of forming a	417/48	252/181.5;	Sparks;

32				reactive material and article formed thereby		252/181.6; 257/682; 417/51; 428/660; 428/666; 428/672	Douglas Ray
JS 6844213 32	USPAT	20050118		Process of forming a microneedle and microneedle formed thereby	438/41	438/42; 438/44; 438/53	Sparks; Douglas Ray
JS 6750521 31	USPAT	20040615		Surface mount package for a micromachined device	257/414		Chilcott; Dan W. et al.
JS 6647778 32	USPAT	20031118		Integrated microtube sensing device	73/204.26		Sparks; Douglas Ray
JS 6637257 32	USPAT	20031028		Micromachined fluid analysis device and method	73/38	422/101; 422/255; 422/267; 422/68.1; 436/12; 436/14; 436/15; 436/163; 436/177; 436/178; 73/61.63; 73/61.71	Sparks; Douglas Ray
JS 6499354 31	USPAT	20021231		Methods for prevention, reduction, and elimination of outgassing and trapped gases in micromachined devices	73/723		Najafi; Nader et al.
JS 6477901 31	USPAT	20021112		Micromachined fluidic apparatus	73/861.352		Tadigadapa; Srinivas et al.
JS 6338284 31	USPAT	20020115		Electrical feedthrough structures for micromachined devices and methods of fabricating the same	73/866.1	216/2; 29/25.41; 361/283.4; 73/718; 73/861.47	Najafi; Nader et al.
JS 6338010 31	USPAT	20020108		Multi-sensor module for communicating sensor information	701/1	340/459; 701/33	Sparks; Douglas Ray et al.

				over a vehicle data bus				
JS 6140144 A	USPAT	20001031		Method for packaging microsensors	438/53	438/106; 438/108; 438/54		Najafi; Nader et al.
JS 6062461 A	USPAT	20000516		Process for bonding micromachined wafers using solder	228/123.1	228/124.6; 228/174; 228/208		Sparks; Douglas Ray et al.
JS 6022756 A	USPAT	20000208		Metal diaphragm sensor with polysilicon sensing elements and methods therefor	438/53			Sparks; Douglas Ray et al.
JS 5936164 A	USPAT	19990810		All-silicon capacitive pressure sensor	73/724			Sparks; Douglas Ray et al.
JS 5932809 A	USPAT	19990803		Sensor with silicon strain gage	73/727	73/726		Sparks; Douglas Ray et al.
JS 5915281 A	USPAT	19990622		Silicon force and displacement sensor	73/862.581			Sparks; Douglas Ray
JS 5831162 A	USPAT	19981103		Silicon micromachined motion sensor and method of making	73/504.12			Sparks; Douglas Ray et al.
JS 5719069 A	USPAT	19980217		One-chip integrated sensor process	438/50	148/DIG.135; 438/456; 438/52; 438/53		Sparks; Douglas Ray
JS 5706565 A	USPAT	19980113		Method for making an all-silicon capacitive pressure sensor	29/25.42			Sparks; Douglas Ray et al.
JS 5663508 A	USPAT	19970902		Silicon flow sensor	73/861.71	73/861.74		Sparks; Douglas Ray
JS 5547093 A	USPAT	19960820		Method for forming a micromachine motion sensor	438/52	216/2; 216/38		Sparks; Douglas R.
JS 5531121 A	USPAT	19960702	14	Micromachined integrated pressure sensor with oxide polysilicon cavity sealing	73/716	257/E21.218; 257/E21.573; 73/720; 73/721		Sparks; Douglas R. et al.
JS 5427975 A	USPAT	19950627		Method of micromachining an integrated sensor on	438/52	216/2; 257/E21.218; 257/E21.573;		Sparks; Douglas R. et al.

				the surface of a silicon wafer		438/53; 438/702; 438/739		
JS 5250837 A	USPAT	19931005		Method for dielectrically isolating integrated circuits using doped oxide sidewalls	257/519	257/513; 257/517; 257/521; 257/565; 257/622; 257/E21.551; 257/E21.571		Sparks; Douglas R.
JS 5250461 A	USPAT	19931005		Method for dielectrically isolating integrated circuits using doped oxide sidewalls	438/429	148/DIG.20; 257/E21.149; 257/E21.538; 257/E21.551; 257/E21.571; 438/360; 438/504; 438/973		Sparks; Douglas R.
JS 5213999 A	USPAT	19930525		Method of metal filled trench buried contacts	438/639	257/E21.158; 257/E21.295; 257/E21.396; 257/E21.537; 438/386; 438/678; 438/686		Sparks; Douglas R. et al.
JS 4732874 A	USPAT	19880322		Removing metal precipitates from semiconductor devices	438/378	257/E21.324; 420/490; 438/310; 438/471; 438/795		Sparks; Douglas R.